

Schema documentation for orders_xml11_EN.xsd

may 16, 2017

Table of Contents

Resource hierarchy:	3
Namespace: ""	3
Schema(s)	3
Main schema orders_xml11_EN.xsd	3
Included schema header_xml11.xsd	3
Element(s)	4
Element biztalk_1	4
Element header	4
Element delivery	4
Element message	5
Element messageID	5
Element sent	5
Element subject	6
Element interchange	6
Element interchange_date	6
Element interchange_time	6
Element message_count	7
Element to	7
Element address	7
Element state	7
Element referenceID	8
Element handle	8
Element process	8
Element ediid	9
Element routing	9
Element test_indicator	9
Element from	10
Element manifest	10
Element document	10
Element userdocid	11
Element name	11
Element description	11
Element message_number	12
Element attachment	12
Element index	12
Element filename	12
Element type	13
Element body	13
Element xml_document	13
Element form_header	14
Element document_type	15
Element message_function	15
Element document_date	16
Element document_time	16
Element document_date_format	16
Element delivery_date_function	17
Element delivery_date	17
Element delivery_time	17
Element delivery_date_format	17
Element registration	18
Element free_text	18
Element free_text_1	19
Element free_text_2	19
Element free_text_3	19
Element free_text_4	20
Element currency_code	20
Element currency_usage_code	20
Element currency_type_code	21
Element currency_code_target	21
Element currency_usage_code_target	22

Element currency_type_code_target	22
Element transport_mode	23
Element terms_description_code	23
Element references	23
Element order_number	24
Element date_of_order	24
Element date_of_order_format	24
Element promotion_number	25
Element contract_number	25
Element buyer	25
Element partyQualifier	26
Element party_ean	27
Element party_name_1	27
Element party_name_2	28
Element party_name_3	28
Element party_name_4	28
Element party_name_5	29
Element street_1	29
Element street_2	29
Element street_3	30
Element street_4	30
Element place	30
Element postcode	31
Element country_code	31
Element tax_id	31
Element company_id	32
Element fiscal_id	32
Element add_id	32
Element meaning_of_add_id	33
Element delivery_place	33
Element district	34
Element contact_tel	34
Element purchaser	34
Element invoicee	35
Element supplier	35
Element storehouse	36
Element line_items	36
Element item	37
Element item_number	38
Element article_ean	38
Element article_number	39
Element article_number_code	39
Element article_number_buyer	39
Element article_number_buyer_code	40
Element product_group_buyer	40
Element product_group_buyer_code	40
Element specification	41
Element specification_code	41
Element item_type	42
Element quantity_type	42
Element quantity	43
Element unit	43
Element number_of_units	43
Element number_of_packages	44
Element type_of_packages	44
Element net_price	45
Element net_price_specification_code	45
Element gross_price	45
Element total_price	46
Element info_price	46
Element contract_reference_number	47
Element delivery_place_ean	47
Element free_text_5	47
Element customer_reference_number	48
Element best_before_date	48
Element summary	48
Element monetary_amounts	48
Element items_price	49
Simple Type(s)	49
Simple Type short_time	49
Simple Type time	49
Attribute(s)	50

Attribute xml_document / @type_identifier	50
Attribute xml_document / @version_number	50
Attribute xml_document / @subversion_number	50
Attribute @type_identifier	50
Attribute @version_number	50
Attribute @subversion_number	50

Resource hierarchy:

Legend: Import, Include, Redefine, Override, Cycle detected

orders_xml11_EN.xsd

header_xml11.xsd

Namespace: ""

Schema(s)

Main schema orders_xml11_EN.xsd

Namespace	No namespace
Annotations	<p>Schema name: orders_xml11</p> <p>Author: Karin Pustaiova, EDITEL CZ s.r.o.</p> <p>changelog v1-1: + element summary (with monetary_amounts/items_price) added into element 'xml_document' + elements currency_code, transport_mode, references (with child elements order_number, promotion_number) added into 'form_header' + element add_id added into parent element 'buyer' + elements item_type, number_of_packages, type_of_packages, gross_price, contract_reference_number, total_price, delivery_place_ean added into element 'item'</p> <p>changelog v1-2: + element message_number added into parent element 'form_header'</p> <p>changelog v1-3: + elements free_text_1, free_text_2, free_text_3, free_text_4 added into parent element 'form_header' + element purchaser (with child elements party_qualifier, party_ean, party_name_1, party_name_2) added into 'form_header' + elements free_text_1, free_text_2, free_text_3, free_text_4, free_text_5 added into element 'item'</p> <p>changelog v1-4: + elements district, contact_tel, added into element 'delivery_place'</p> <p>changelog v1-5: + element customer_reference_number added into element 'item'</p> <p>changelog v1-6: + elements date_of_order and date_of_order_format added into element 'references' + enumeration of party_qualifier extended by 'OB' + element document_time added into parent element 'form_header' + enumeration of document_date_format extended by '203'</p> <p>changelog v1-7: + element terms_description_code added into element 'form_header' + element currency_usage_code, currency_usage_code_target, currency_type_code, currency_type_code_target, currency_code_target added into element 'form_header' + elements contract_number added into element 'references' + element meaning_of_add_id added into element 'buyer' + element meaning_of_add_id added into element 'supplier' + elements article_number_code, article_number_buyer_code, product_group_buyer, product_group_buyer_code, specification_code, info_price and net_price_specification_code added into element 'item'</p> <p>changelog v1-8: + element best_before_date added into element 'item'</p>
Properties	<p>attribute form default: unqualified</p> <p>element form default: unqualified</p> <p>version: 1.8</p>

Included schema header_xml11.xsd

Namespace	No namespace
Annotations	Schema name: header_xml11

	changelog v1-1: + element 'routing' added into the parent element 'state' changelog v1-2: + element 'message_count' added into the parent element 'message'
Properties	attribute form default: unqualified
	element form default: unqualified
	version: 1.2

Element(s)

Element biztalk_1

Namespace	No namespace
Properties	content: complex
Model	header , body
Children	body, header
Instance	<biztalk_1> <header>{1,1}</header> <body>{1,1}</body> </biztalk_1>
Source	<xsd:element name="biztalk_1"> <xsd:complexType> <xsd:sequence> <xsd:element ref="header"/> <xsd:element ref="body"/> </xsd:sequence> </xsd:complexType> </xsd:element>

Element header

Namespace	No namespace
Properties	content: complex
Used by	Element biztalk_1
Model	ALL(delivery manifest)
Children	delivery, manifest
Instance	<header> <delivery>{1,1}</delivery> <manifest>{1,1}</manifest> </header>
Source	<xsd:element name="header"> <xsd:complexType> <xsd:all> <xsd:element ref="delivery" maxOccurs="1" minOccurs="1"/> <xsd:element ref="manifest" maxOccurs="1" minOccurs="1"/> </xsd:all> </xsd:complexType> </xsd:element>

Element delivery

Namespace	No namespace
Properties	content: complex
Used by	Element header
Model	ALL(message to from)
Children	from, message, to
Instance	<delivery> <message>{1,1}</message> <to>{1,1}</to> <from>{1,1}</from> </delivery>
Source	<xsd:element name="delivery"> <xsd:complexType> <xsd:all>

```

<xsd:element ref="message" maxOccurs="1" minOccurs="1"/>
<xsd:element ref="to" maxOccurs="1" minOccurs="1"/>
<xsd:element ref="from" maxOccurs="1" minOccurs="1"/>
</xsd:all>
</xsd:complexType>
</xsd:element>

```

Element message

Namespace	No namespace	
Properties	content: complex	
Used by	Element delivery	
Model	ALL(messageID sent{0,1} subject{0,1} interchange{0,1} interchange_date interchange_time message_count{0,1})	
Children	interchange, interchange_date, interchange_time, messageID, message_count, sent, subject	
Instance	<message> <messageID>{1,1}</messageID> <sent>{0,1}</sent> <subject>{0,1}</subject> <interchange>{0,1}</interchange> <interchange_date>{1,1}</interchange_date> <interchange_time>{1,1}</interchange_time> <message_count>{0,1}</message_count> </message>	
Source	<xsd:element name="message"> <xsd:complexType> <xsd:all> <xsd:element ref="messageID" maxOccurs="1" minOccurs="1"/> <xsd:element ref="sent" maxOccurs="1" minOccurs="0"/> <xsd:element ref="subject" maxOccurs="1" minOccurs="0"/> <xsd:element ref="interchange" maxOccurs="1" minOccurs="0"/> <xsd:element ref="interchange_date" maxOccurs="1" minOccurs="1"/> <xsd:element ref="interchange_time" maxOccurs="1" minOccurs="1"/> <xsd:element ref="message_count" maxOccurs="1" minOccurs="0"/> </xsd:all> </xsd:complexType> </xsd:element>	

Element messageID

Namespace	No namespace	
Annotations	Unique Identification ID of The Message	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	0
	maxLength	14
Used by	Element message	
Source	<xsd:element name="messageID"> <xsd:annotation> <xsd:documentation>Unique Identification ID of The Message</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="14"/> <xsd:minLength value="0"/> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element sent

Namespace	No namespace	
Annotations	Sending Date in Short Form	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength 1	

	maxLength	35
Used by	Element	message
Source	<pre><xsd:element name="sent"> <xsd:annotation> <xsd:documentation>Sending Date in Short Form</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element subject

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	0
	maxLength	3
Used by	Element	message
Source	<pre><xsd:element name="subject"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="3"/> <xsd:minLength value="0"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element interchange

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	0
	maxLength	14
Used by	Element	message
Source	<pre><xsd:element name="interchange"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="14"/> <xsd:minLength value="0"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element interchange_date

Namespace	No namespace	
Type	xsd:date	
Properties	content: simple	
Used by	Element	message
Source	<pre><xsd:element name="interchange_date" type="xsd:date"/></pre>	

Element interchange_time

Namespace	No namespace	
Type	xsd:time	

Properties	content:	simple
Used by	Element	message
Source	<code><xsd:element name="interchange_time" type="xsd:time"/></code>	

Element message_count

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	14
Used by	Element message	
Source	<code><xsd:element name="message_count"></code> <code> <xsd:simpleType></code> <code> <xsd:restriction base="xsd:string"></code> <code> <xsd:minLength value="1"/></code> <code> <xsd:maxLength value="14"/></code> <code> </xsd:restriction></code> <code> </xsd:simpleType></code> <code></xsd:element></code>	

Element to

Namespace	No namespace	
Properties	content: complex	
Used by	Element delivery	
Model	ALL(address{0,1} state)	
Children	address, state	
Instance	<code><to></code> <code> <address>{0,1}</address></code> <code> <state>{1,1}</state></code> <code></to></code>	
Source	<code><xsd:element name="to"></code> <code> <xsd:complexType></code> <code> <xsd:all></code> <code> <xsd:element ref="address" maxOccurs="1" minOccurs="0"/></code> <code> <xsd:element ref="state" maxOccurs="1" minOccurs="1"/></code> <code> </xsd:all></code> <code> </xsd:complexType></code> <code></xsd:element></code>	

Element address

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	70
Used by	Elements from, to	
Source	<code><xsd:element name="address"></code> <code> <xsd:simpleType></code> <code> <xsd:restriction base="xsd:string"></code> <code> <xsd:maxLength value="70"/></code> <code> <xsd:minLength value="1"/></code> <code> </xsd:restriction></code> <code> </xsd:simpleType></code> <code></xsd:element></code>	

Element state

Namespace	No namespace
-----------	--------------

Properties	content:	complex
Used by	Elements	from, to
Model	ALL(referenceID{0,1} handle{0,1} process{0,1} ediid routing{0,1} test_indicator{0,1})	
Children	ed iid, handle, process, referenceID, routing, test_indicator	
Instance	<state> <referenceID>{0,1}</referenceID> <handle>{0,1}</handle> <process>{0,1}</process> <ediid>{1,1}</ediid> <routing>{0,1}</routing> <test_indicator>{0,1}</test_indicator> </state>	
Source	<xsd:element name="state"> <xsd:complexType> <xsd:all> <xsd:element ref="referenceID" maxOccurs="1" minOccurs="0"/> <xsd:element ref="handle" maxOccurs="1" minOccurs="0"/> <xsd:element ref="process" maxOccurs="1" minOccurs="0"/> <xsd:element ref="ediid" maxOccurs="1" minOccurs="1"/> <xsd:element ref="routing" maxOccurs="1" minOccurs="0"/> <xsd:element ref="test_indicator" maxOccurs="1" minOccurs="0"/> </xsd:all> </xsd:complexType> </xsd:element>	

Element referenceID

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	35
Used by	Element	state
Source	<xsd:element name="referenceID"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element handle

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	35
Used by	Element	state
Source	<xsd:element name="handle"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element process

Namespace	No namespace	
Type	restriction of xsd:string	

Properties	content:	simple
Facets	minLength	1
	maxLength	35
Used by	Element	state
Source	<pre><xsd:element name="process"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element ediid

Namespace	No namespace	
Annotations	Unique Identification of Party (usually GLN)	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	14
Used by	Element	state
Source	<pre><xsd:element name="ediid"> <xsd:annotation> <xsd:documentation>Unique Identification of Party (usually GLN)</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="14"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element routing

Namespace	No namespace	
Annotations	Routing Address	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	14
Used by	Element	state
Source	<pre><xsd:element name="routing"> <xsd:annotation> <xsd:documentation>Routing Address</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="14"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element test_indicator

Namespace	No namespace	
Annotations	In Case of Test Message Set "1"	
Type	restriction of xsd:string	
Properties	content:	simple

Facets	length	1
Used by	Element	state
Source	<pre><xsd:element name="test_indicator"> <xsd:annotation> <xsd:documentation>In Case of Test Message Set "1"</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:length value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element from

Namespace	No namespace
Properties	content: complex
Used by	Element delivery
Model	ALL(address{0,1} state)
Children	address, state
Instance	<pre><from> <address>{0,1}</address> <state>{1,1}</state> </from></pre>
Source	<pre><xsd:element name="from"> <xsd:complexType> <xsd:all> <xsd:element ref="address" maxOccurs="1" minOccurs="0"/> <xsd:element ref="state" maxOccurs="1" minOccurs="1"/> </xsd:all> </xsd:complexType> </xsd:element></pre>

Element manifest

Namespace	No namespace
Properties	content: complex
Used by	Element header
Model	ALL(document attachment{0,1})
Children	attachment, document
Instance	<pre><manifest> <document>{1,1}</document> <attachment>{0,1}</attachment> </manifest></pre>
Source	<pre><xsd:element name="manifest"> <xsd:complexType> <xsd:all> <xsd:element ref="document" maxOccurs="1" minOccurs="1"/> <xsd:element ref="attachment" maxOccurs="1" minOccurs="0"/> </xsd:all> </xsd:complexType> </xsd:element></pre>

Element document

Namespace	No namespace
Properties	content: complex
Used by	Element manifest
Model	ALL(userdocid name description{0,1} message_number{0,1})
Children	description, message_number, name, userdocid
Instance	<pre><document> <userdocid>{1,1}</userdocid> <name>{1,1}</name> <description>{0,1}</description></pre>

	<message_number>{0,1}</message_number> </document>
Source	<pre><xsd:element name="document"> <xsd:complexType> <xsd:all> <xsd:element ref="userdocid" maxOccurs="1" minOccurs="1"/> <xsd:element ref="name" maxOccurs="1" minOccurs="1"/> <xsd:element ref="description" maxOccurs="1" minOccurs="0"/> <xsd:element ref="message_number" maxOccurs="1" minOccurs="0"/> </xsd:all> </xsd:complexType> </xsd:element></pre>

Element userdocid

Namespace	No namespace	
Annotations	Document Number	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	15
Used by	Elements document, form_header	
Source	<pre><xsd:element name="userdocid"> <xsd:annotation> <xsd:documentation>Document Number</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="15"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element name

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	enumeration xml_document	
Used by	Element document	
Source	<pre><xsd:element name="name"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="xml_document"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element description

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	35
Used by	Elements attachment, document	
Source	<pre><xsd:element name="description"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

```
</xsd:simpleType>
</xsd:element>
```

Element message_number

Namespace	No namespace
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1 maxLength 14
Used by	Elements document, form_header
Source	<pre><xsd:element name="message_number"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="14"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>

Element attachment

Namespace	No namespace
Properties	content: complex
Used by	Element manifest
Model	ALL(index{0,1} filename{0,1} description{0,1} type{0,1})
Children	description, filename, index, type
Instance	<pre><attachment> <index>{0,1}</index> <filename>{0,1}</filename> <description>{0,1}</description> <type>{0,1}</type> </attachment></pre>
Source	<pre><xsd:element name="attachment"> <xsd:complexType> <xsd:all> <xsd:element ref="index" maxOccurs="1" minOccurs="0"/> <xsd:element ref="filename" maxOccurs="1" minOccurs="0"/> <xsd:element ref="description" maxOccurs="1" minOccurs="0"/> <xsd:element ref="type" maxOccurs="1" minOccurs="0"/> </xsd:all> </xsd:complexType> </xsd:element></pre>

Element index

Namespace	No namespace
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1 maxLength 35
Used by	Element attachment
Source	<pre><xsd:element name="index"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>

Element filename

Namespace	No namespace
-----------	--------------

Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	255
Used by	Element attachment	
Source	<pre><xsd:element name="filename"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="255"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element type

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	35
Used by	Element attachment	
Source	<pre><xsd:element name="type"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element body

Namespace	No namespace	
Properties	content: complex	
Used by	Element biztalk_1	
Model	xml_document	
Children	xml_document	
Instance	<pre><body> <xml_document subversion_number="" type_identifier="" version_number="">{1,1}</xml_document> </body></pre>	
Source	<pre><xsd:element name="body"> <xsd:complexType> <xsd:sequence> <xsd:element ref="xml_document"/> </xsd:sequence> </xsd:complexType> </xsd:element></pre>	

Element xml_document

Namespace	No namespace	
Annotations	Purchase order	
Properties	content: complex	
Used by	Element body	
Model	form_header , line_items{0,1} , summary{0,1}	
Children	form_header, line_items, summary	
Instance	<pre><xml_document subversion_number="" type_identifier="" version_number=""> <form_header>{1,1}</form_header> <line_items>{0,1}</line_items></pre>	

	<summary>{0,1}</summary> </xml_document>		
Attributes	QName	Type	Use
	subversion_number		optional
	type_identifier		required
	version_number		optional
Source	<pre> <xsd:element name="xml_document"> <xsd:annotation> <xsd:documentation>Purchase order</xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:sequence> <xsd:element ref="form_header"/> <xsd:element ref="line_items" minOccurs="0"/> <xsd:element ref="summary" minOccurs="0"/> </xsd:sequence> <xsd:attribute name="type_identifier" use="required"/> <xsd:attribute name="version_number"/> </xsd:complexType> </xsd:element> </pre>		

Element form_header

Namespace	No namespace
Annotations	message header
Properties	content: complex
Used by	Element xml_document
Model	ALL(message_number{0,1} userdocid document_type{0,1} message_function{0,1} document_date document_time{0,1} document_date_format{0,1} delivery_date_function{0,1} delivery_date{0,1} delivery_time{0,1} delivery_date_format{0,1} registration{0,1} free_text{0,1} free_text_1{0,1} free_text_2{0,1} free_text_3{0,1} free_text_4{0,1} currency_code{0,1} currency_usage_code{0,1} currency_type_code{0,1} currency_code_target{0,1} currency_usage_code_target{0,1} currency_type_code_target{0,1} transport_mode{0,1} terms_description_code{0,1} references{0,1} buyer delivery_place{0,1} purchaser{0,1} invoicee{0,1} supplier storehouse{0,1})
Children	buyer, currency_code, currency_code_target, currency_type_code, currency_type_code_target, currency_usage_code, currency_usage_code_target, delivery_date, delivery_date_format, delivery_date_function, delivery_place, delivery_time, document_date, document_date_format, document_time, document_type, free_text, free_text_1, free_text_2, free_text_3, free_text_4, invoicee, message_function, message_number, purchaser, references, registration, storehouse, supplier, terms_description_code, transport_mode, userdocid
Instance	<pre> <form_header> <message_number>{0,1}</message_number> <userdocid>{1,1}</userdocid> <document_type>{0,1}</document_type> <message_function>{0,1}</message_function> <document_date>{1,1}</document_date> <document_time>{0,1}</document_time> <document_date_format>{0,1}</document_date_format> <delivery_date_function>{0,1}</delivery_date_function> <delivery_date>{0,1}</delivery_date> <delivery_time>{0,1}</delivery_time> <delivery_date_format>{0,1}</delivery_date_format> <registration>{0,1}</registration> <free_text>{0,1}</free_text> <free_text_1>{0,1}</free_text_1> <free_text_2>{0,1}</free_text_2> <free_text_3>{0,1}</free_text_3> <free_text_4>{0,1}</free_text_4> <currency_code>{0,1}</currency_code> <currency_usage_code>{0,1}</currency_usage_code> <currency_type_code>{0,1}</currency_type_code> <currency_code_target>{0,1}</currency_code_target> <currency_usage_code_target>{0,1}</currency_usage_code_target> <currency_type_code_target>{0,1}</currency_type_code_target> <transport_mode>{0,1}</transport_mode> <terms_description_code>{0,1}</terms_description_code> <references>{0,1}</references> <buyer>{1,1}</buyer> <delivery_place>{0,1}</delivery_place> <purchaser>{0,1}</purchaser> <invoicee>{0,1}</invoicee> <supplier>{1,1}</supplier> <storehouse>{0,1}</storehouse> </pre>

	<pre></form_header></pre>
Source	<pre> <xsd:element name="form_header"> <xsd:annotation> <xsd:documentation>message header</xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:all> <xsd:element ref="message_number" minOccurs="0"/> <xsd:element ref="userdocid"/> <xsd:element ref="document_type" minOccurs="0"/> <xsd:element ref="message_function" minOccurs="0"/> <xsd:element ref="document_date"/> <xsd:element ref="document_time" minOccurs="0"/> <xsd:element ref="document_date_format" minOccurs="0"/> <xsd:element ref="delivery_date_function" minOccurs="0"/> <xsd:element ref="delivery_date" minOccurs="0"/> <xsd:element ref="delivery_time" minOccurs="0"/> <xsd:element ref="delivery_date_format" minOccurs="0"/> <xsd:element ref="registration" minOccurs="0"/> <xsd:element ref="free_text" minOccurs="0"/> <xsd:element ref="free_text_1" minOccurs="0"/> <xsd:element ref="free_text_2" minOccurs="0"/> <xsd:element ref="free_text_3" minOccurs="0"/> <xsd:element ref="free_text_4" minOccurs="0"/> <xsd:element ref="currency_code" minOccurs="0"/> <xsd:element ref="currency_usage_code" minOccurs="0"/> <xsd:element ref="currency_type_code" minOccurs="0"/> <xsd:element ref="currency_code_target" minOccurs="0"/> <xsd:element ref="currency_usage_code_target" minOccurs="0"/> <xsd:element ref="currency_type_code_target" minOccurs="0"/> <xsd:element ref="transport_mode" minOccurs="0"/> <xsd:element ref="terms_description_code" minOccurs="0"/> <xsd:element ref="references" minOccurs="0"/> <xsd:element ref="buyer"/> <xsd:element ref="delivery_place" minOccurs="0"/> <xsd:element ref="purchaser" minOccurs="0"/> <xsd:element ref="invoicee" minOccurs="0"/> <xsd:element ref="supplier"/> <xsd:element ref="storehouse" minOccurs="0"/> </xsd:all> </xsd:complexType> </xsd:element></pre>

Element document_type

Namespace	No namespace		
Annotations	Message Type - Code		
Type	restriction of xsd:string		
Properties	content: simple		
Facets	enumeration	220	Order
Used by	Element	form_header	
Source	<pre> <xsd:element name="document_type"> <xsd:annotation> <xsd:documentation>Message Type - Code</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="220"> <xsd:annotation> <xsd:documentation>Order</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>		

Element message_function

Namespace	No namespace		
Annotations	Message Function - Code		
Type	restriction of xsd:string		
Properties	content: simple		

Facets	enumeration	9	Original
Used by	Element	form_header	
Source	<pre><xsd:element name="message_function"> <xsd:annotation> <xsd:documentation>Message Function - Code</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="9"> <xsd:annotation> <xsd:documentation>Original</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>		

Element document_date

Namespace	No namespace		
Annotations	Date of issue		
Type	xsd:date		
Properties	content: simple		
Used by	Element	form_header	
Source	<pre><xsd:element name="document_date" type="xsd:date"> <xsd:annotation> <xsd:documentation>Date of issue</xsd:documentation> </xsd:annotation> </xsd:element></pre>		

Element document_time

Namespace	No namespace		
Annotations	Time of issue		
Type	short_time		
Properties	content: simple		
Facets	pattern (([0-1][0-9])([2[0-3])):[0-5][0-9]		
Used by	Element	form_header	
Source	<pre><xsd:element name="document_time" type="short_time"> <xsd:annotation> <xsd:documentation>Time of issue</xsd:documentation> </xsd:annotation> </xsd:element></pre>		

Element document_date_format

Namespace	No namespace		
Annotations	Date of issue - Format Qualifier		
Type	restriction of xsd:string		
Properties	content: simple		
Facets	enumeration	102	YYYY-MM-DD
	enumeration	203	YYYY-MM-DD, HH:MM
Used by	Element	form_header	
Source	<pre><xsd:element name="document_date_format"> <xsd:annotation> <xsd:documentation>Date of issue - Format Qualifier</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="102"> <xsd:annotation> <xsd:documentation>YYYY-MM-DD</xsd:documentation></pre>		

```

</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="203">
<xsd:annotation>
  <xsd:documentation>YYYY-MM-DD, HH:MM</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>
</xsd:element>

```

Element delivery_date_function

Namespace	No namespace		
Annotations	Date - date type qualifier		
Type	restriction of xsd:string		
Properties	content: simple		
Facets	enumeration	2	Delivery date, requested
Used by	Elements	form_header, item	
Source	<xsd:element name="delivery_date_function"> <xsd:annotation> <xsd:documentation>Date - date type qualifier</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="2"> <xsd:annotation> <xsd:documentation>Delivery date, requested</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </xsd:element>		

Element delivery_date

Namespace	No namespace		
Annotations	Date of Delivery		
Type	xsd:date		
Properties	content: simple		
Used by	Elements	form_header, item	
Source	<xsd:element name="delivery_date" type="xsd:date"> <xsd:annotation> <xsd:documentation>Date of Delivery</xsd:documentation> </xsd:annotation> </xsd:element>		

Element delivery_time

Namespace	No namespace		
Annotations	Time of Delivery		
Type	short_time		
Properties	content: simple		
Facets	pattern (([0-1][0-9])([2[0-3]]):[0-5][0-9]		
Used by	Elements	form_header, item	
Source	<xsd:element name="delivery_time" type="short_time"> <xsd:annotation> <xsd:documentation>Time of Delivery</xsd:documentation> </xsd:annotation> </xsd:element>		

Element delivery_date_format

Namespace	No namespace
-----------	--------------

Annotations	Date of Delivery - format qualifier		
Type	restriction of xsd:string		
Properties	content: simple		
Facets	enumeration	102	YYYY-MM-DD
	enumeration	203	YYYY-MM-DD, HH:MM
Used by	Elements	form_header, item	
Source	<pre><xsd:element name="delivery_date_format"> <xsd:annotation> <xsd:documentation>Date of Delivery - format qualifier</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="102"> <xsd:annotation> <xsd:documentation>YYYY-MM-DD</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="203"> <xsd:annotation> <xsd:documentation>YYYY-MM-DD, HH:MM</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>		

Element registration

Namespace	No namespace		
Annotations	Buyer's Business Register Legal Certificate		
Type	restriction of xsd:string		
Properties	content: simple		
Facets	minLength	1	
	maxLength	140	
Used by	Element	form_header	
Source	<pre><xsd:element name="registration"> <xsd:annotation> <xsd:documentation>Buyer's Business Register Legal Certificate</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="140"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>		

Element free_text

Namespace	No namespace		
Annotations	Free text		
Type	restriction of xsd:string		
Properties	content: simple		
Facets	minLength	1	
	maxLength	140	
Used by	Element	form_header	
Source	<pre><xsd:element name="free_text"> <xsd:annotation> <xsd:documentation>Free text</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="140"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>		

```
<xsd:minLength value="1"/>
</xsd:restriction>
</xsd:simpleType>
</xsd:element>
```

Element free_text_1

Namespace	No namespace	
Annotations	Additional free text 1	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	70
Used by	Elements form_header, item	
Source	<xsd:element name="free_text_1"> <xsd:annotation> <xsd:documentation>Additional free text 1</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="70"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element free_text_2

Namespace	No namespace	
Annotations	Additional free text 2	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	70
Used by	Elements form_header, item	
Source	<xsd:element name="free_text_2"> <xsd:annotation> <xsd:documentation>Additional free text 2</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="70"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element free_text_3

Namespace	No namespace	
Annotations	Additional free text 3	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	70
Used by	Elements form_header, item	
Source	<xsd:element name="free_text_3"> <xsd:annotation> <xsd:documentation>Additional free text 3</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string">	

```
<xsd:maxLength value="70"/>
<xsd:minLength value="1"/>
</xsd:restriction>
</xsd:simpleType>
</xsd:element>
```

Element free_text_4

Namespace	No namespace	
Annotations	Additional free text 4	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	70
Used by	Elements	form_header, item
Source	<xsd:element name="free_text_4"> <xsd:annotation> <xsd:documentation>Additional free text 4</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="70"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element currency_code

Namespace	No namespace	
Annotations	Invoice Currency Code	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	3
Used by	Element	form_header
Source	<xsd:element name="currency_code"> <xsd:annotation> <xsd:documentation>Invoice Currency Code</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="3"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element currency_usage_code

Namespace	No namespace	
Annotations	Currency usage code qualifier - optionally usable tag particularly in HU	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	enumeration	2 Reference currency
Used by	Element	form_header
Source	<xsd:element name="currency_usage_code"> <xsd:annotation> <xsd:documentation>Currency usage code qualifier - optionally usable tag particularly in HU</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="2">	

```

<xsd:annotation>
  <xsd:documentation>Reference currency</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>
</xsd:element>

```

Element currency_type_code

Namespace	No namespace		
Annotations	Currency type code qualifier - optionally usable tag particularly in HU		
Type	restriction of xsd:string		
Properties	content: simple		
Facets	enumeration	4	Invoicing currency
	enumeration	9	Order currency
	enumeration	10	Pricing currency
	enumeration	11	Payment currency
	enumeration	12	Quotation currency
Used by	Element	form_header	
Source	<xsd:element name="currency_type_code"> <xsd:annotation> <xsd:documentation>Currency type code qualifier - optionally usable tag particularly in HU</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="4"> <xsd:annotation> <xsd:documentation>Invoicing currency</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="9"> <xsd:annotation> <xsd:documentation>Order currency</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="10"> <xsd:annotation> <xsd:documentation>Pricing currency</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="11"> <xsd:annotation> <xsd:documentation>Payment currency</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="12"> <xsd:annotation> <xsd:documentation>Quotation currency</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </xsd:element>		

Element currency_code_target

Namespace	No namespace		
Annotations	Currency Identification Code - optionally usable tag particularly in HU		
Type	restriction of xsd:string		
Properties	content: simple		
Facets	minLength	1	
	maxLength	3	
Used by	Element	form_header	
Source	<xsd:element name="currency_code_target"> <xsd:annotation> <xsd:documentation>Currency Identification Code - optionally usable tag particularly in HU</xsd:documentation> </xsd:annotation>		

```

</xsd:annotation>
<xsd:simpleType>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="3"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
</xsd:element>

```

Element currency_usage_code_target

Namespace	No namespace		
Annotations	Currency usage code qualifier - optionally usable tag particularly in HU		
Type	restriction of xsd:string		
Properties	content: simple		
Facets	enumeration	3	Target currency
Used by	Element	form_header	
Source	<xsd:element name="currency_usage_code_target"> <xsd:annotation> <xsd:documentation>Currency usage code qualifier - optionally usable tag particularly in HU</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="3"> <xsd:annotation> <xsd:documentation>Target currency</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </xsd:element>		

Element currency_type_code_target

Namespace	No namespace		
Annotations	Currency type code qualifier - optionally usable tag particularly in HU		
Type	restriction of xsd:string		
Properties	content: simple		
Facets	enumeration	4	Invoicing currency
	enumeration	9	Order currency
	enumeration	10	Pricing currency
	enumeration	11	Payment currency
	enumeration	12	Quotation currency
Used by	Element	form_header	
Source	<xsd:element name="currency_type_code_target"> <xsd:annotation> <xsd:documentation>Currency type code qualifier - optionally usable tag particularly in HU</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="4"> <xsd:annotation> <xsd:documentation>Invoicing currency</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="9"> <xsd:annotation> <xsd:documentation>Order currency</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="10"> <xsd:annotation> <xsd:documentation>Pricing currency</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="11"> <xsd:annotation> <xsd:documentation>Payment currency</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </xsd:element>		

```

        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="12">
        <xsd:annotation>
            <xsd:documentation>Quotation currency</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    </xsd:restriction>
</xsd:simpleType>
</xsd:element>

```

Element transport_mode

Namespace	No namespace	
Annotations	Specify transport instructions for the whole Purchase Order	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	3
Used by	Element	form_header
Source	<xsd:element name="transport_mode"> <xsd:annotation> <xsd:documentation>Specify transport instructions for the whole Purchase Order</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="3"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element terms_description_code

Namespace	No namespace	
Annotations	Delivery of transport terms function code - optionally usable tag particularly in HU	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	3
Used by	Element	form_header
Source	<xsd:element name="terms_description_code"> <xsd:annotation> <xsd:documentation>Delivery of transport terms function code - optionally usable tag particularly in HU</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="3"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element references

Namespace	No namespace	
Properties	content: complex	
Used by	Element	form_header
Model	ALL(order_number{0,1} date_of_order{0,1} date_of_order_format{0,1} promotion_number{0,1} contract_number{0,1})	
Children	contract_number, date_of_order, date_of_order_format, order_number, promotion_number	
Instance	<references> <order_number>{0,1}</order_number> <date_of_order>{0,1}</date_of_order> <date_of_order_format>{0,1}</date_of_order_format>	

	<pre><promotion_number>{0,1}</promotion_number> <contract_number>{0,1}</contract_number> </referencies></pre>
Source	<pre><xsd:element name="referencies"> <xsd:complexType> <xsd:all> <xsd:element ref="order_number" minOccurs="0"/> <xsd:element ref="date_of_order" minOccurs="0"/> <xsd:element ref="date_of_order_format" minOccurs="0"/> <xsd:element ref="promotion_number" minOccurs="0"/> <xsd:element ref="contract_number" minOccurs="0"/> </xsd:all> </xsd:complexType> </xsd:element></pre>

Element order_number

Namespace	No namespace	
Annotations	Customer Purchase Order Number - Optional in case of Default or Undelivered Purchase Order	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	15
Used by	Element	referencies
Source	<pre><xsd:element name="order_number"> <xsd:annotation> <xsd:documentation>Customer Purchase Order Number - Optional in case of Default or Undelivered Purchase Order</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="15"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element date_of_order

Namespace	No namespace	
Annotations	Date of Purchase Order Issue	
Type	xsd:date	
Properties	content: simple	
Used by	Element	referencies
Source	<pre><xsd:element name="date_of_order" type="xsd:date"> <xsd:annotation> <xsd:documentation>Date of Purchase Order Issue</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element date_of_order_format

Namespace	No namespace	
Annotations	Date of Purchase Order Issue - Format Qualifier	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	enumeration	102 YYYY-MM-DD
Used by	Element	referencies
Source	<pre><xsd:element name="date_of_order_format"> <xsd:annotation> <xsd:documentation>Date of Purchase Order Issue - Format Qualifier</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"></pre>	

```

<xsd:enumeration value="102">
  <xsd:annotation>
    <xsd:documentation>YYYY-MM-DD</xsd:documentation>
  </xsd:annotation>
  </xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>
</xsd:element>

```

Element promotion_number

Namespace	No namespace	
Annotations	Promotion deal	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	15
Used by	Element	referencies
Source	<xsd:element name="promotion_number"> <xsd:annotation> <xsd:documentation>Promotion deal</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="15"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element contract_number

Namespace	No namespace	
Annotations	Contract number - optionally usable tag particularly in HU	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	15
Used by	Element	referencies
Source	<xsd:element name="contract_number"> <xsd:annotation> <xsd:documentation>Contract number - optionally usable tag particularly in HU</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="15"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element buyer

Namespace	No namespace	
Properties	content: complex	
Used by	Element	form_header
Model	ALL(partyQualifier{0,1} party_ean party_name_1{0,1} party_name_2{0,1} party_name_3{0,1} party_name_4{0,1} party_name_5{0,1} street_1{0,1} street_2{0,1} street_3{0,1} street_4{0,1} place{0,1} postcode{0,1} country_code{0,1} tax_id{0,1} company_id{0,1} fiscal_id{0,1} add_id{0,1} meaning_of_add_id{0,1})	
Children	add_id, company_id, country_code, fiscal_id, meaning_of_add_id, party_ean, party_name_1, party_name_2, party_name_3, party_name_4, party_name_5, partyQualifier, place, postcode, street_1, street_2, street_3, street_4, tax_id	
Instance	<buyer>	

	<pre> <partyQualifier>{0,1}</partyQualifier> <partyEan>{1,1}</partyEan> <partyName_1>{0,1}</partyName_1> <partyName_2>{0,1}</partyName_2> <partyName_3>{0,1}</partyName_3> <partyName_4>{0,1}</partyName_4> <partyName_5>{0,1}</partyName_5> <street_1>{0,1}</street_1> <street_2>{0,1}</street_2> <street_3>{0,1}</street_3> <street_4>{0,1}</street_4> <place>{0,1}</place> <postcode>{0,1}</postcode> <countryCode>{0,1}</countryCode> <taxId>{0,1}</taxId> <companyId>{0,1}</companyId> <fiscalId>{0,1}</fiscalId> <addId>{0,1}</addId> <meaningOfAddId>{0,1}</meaningOfAddId> </buyer> </pre>
Source	<pre> <xsd:element name="buyer"> <xsd:complexType> <xsd:all> <xsd:element ref="partyQualifier" minOccurs="0"/> <xsd:element ref="partyEan"/> <xsd:element ref="partyName_1" minOccurs="0"/> <xsd:element ref="partyName_2" minOccurs="0"/> <xsd:element ref="partyName_3" minOccurs="0"/> <xsd:element ref="partyName_4" minOccurs="0"/> <xsd:element ref="partyName_5" minOccurs="0"/> <xsd:element ref="street_1" minOccurs="0"/> <xsd:element ref="street_2" minOccurs="0"/> <xsd:element ref="street_3" minOccurs="0"/> <xsd:element ref="street_4" minOccurs="0"/> <xsd:element ref="place" minOccurs="0"/> <xsd:element ref="postcode" minOccurs="0"/> <xsd:element ref="countryCode" minOccurs="0"/> <xsd:element ref="taxId" minOccurs="0"/> <xsd:element ref="companyId" minOccurs="0"/> <xsd:element ref="fiscalId" minOccurs="0"/> <xsd:element ref="addId" minOccurs="0"/> <xsd:element ref="meaningOfAddId" minOccurs="0"/> </xsd:all> </xsd:complexType> </xsd:element> </pre>

Element party_qualifier

Namespace	No namespace		
Annotations	Party Qualifier		
Type	restriction of xsd:string		
Properties	content: simple		
Facets	enumeration	BY	Buyer
	enumeration	DP	Place of Delivery
	enumeration	OB	Purchaser
	enumeration	IV	Invoice Place
	enumeration	SU	Supplier
	enumeration	SF	Storehouse
	enumeration	SH	Storehouse for CZ and SK ORDERS D.96A
Used by	Elements	buyer, delivery_place, invoicee, purchaser, storehouse, supplier	
Source	<pre> <xsd:element name="partyQualifier"> <xsd:annotation> <xsd:documentation>Party Qualifier</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="BY"> <xsd:annotation> <xsd:documentation>Buyer</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="DP"> </pre>		

```

<xsd:annotation>
  <xsd:documentation>Place of Delivery</xsd:documentation>
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="OB">
  <xsd:annotation>
    <xsd:documentation>Purchaser</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="IV">
  <xsd:annotation>
    <xsd:documentation>Invoice Place</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SU">
  <xsd:annotation>
    <xsd:documentation>Supplier</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SF">
  <xsd:annotation>
    <xsd:documentation>Storehouse</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="SH">
  <xsd:annotation>
    <xsd:documentation>Storehouse for CZ and SK ORDERS D.96A</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>
</xsd:element>

```

Element party_ean

Namespace	No namespace	
Annotations	Party GLN (13-digit Number)	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength 1 maxLength 17	
Used by	Elements buyer, delivery_place, invoicee, purchaser, storehouse, supplier	
Source	<pre> <xsd:element name="party_ean"> <xsd:annotation> <xsd:documentation>Party GLN (13-digit Number)</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="17"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element> </pre>	

Element party_name_1

Namespace	No namespace	
Annotations	Business Name - 1	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength 1 maxLength 35	
Used by	Elements buyer, delivery_place, invoicee, purchaser, storehouse, supplier	
Source	<pre> <xsd:element name="party_name_1"> <xsd:annotation> <xsd:documentation>Business Name - 1</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> </pre>	

```

<xsd:maxLength value="35"/>
<xsd:minLength value="1"/>
</xsd:restriction>
</xsd:simpleType>
</xsd:element>

```

Element party_name_2

Namespace	No namespace	
Annotations	Business Name - 2	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	35
Used by	Elements	buyer, delivery_place, invoicee, purchaser, storehouse, supplier
Source	<xsd:element name="party_name_2"> <xsd:annotation> <xsd:documentation>Business Name - 2</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element party_name_3

Namespace	No namespace	
Annotations	Business Name - 3	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	35
Used by	Elements	buyer, delivery_place, supplier
Source	<xsd:element name="party_name_3"> <xsd:annotation> <xsd:documentation>Business Name - 3</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element party_name_4

Namespace	No namespace	
Annotations	Business Name - 4	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	35
Used by	Elements	buyer, delivery_place, supplier
Source	<xsd:element name="party_name_4"> <xsd:annotation> <xsd:documentation>Business Name - 4</xsd:documentation> </xsd:annotation> <xsd:simpleType>	

```

<xsd:restriction base="xsd:string">
  <xsd:maxLength value="35"/>
  <xsd:minLength value="1"/>
</xsd:restriction>
</xsd:simpleType>
</xsd:element>

```

Element party_name_5

Namespace	No namespace	
Annotations	Business Name - 5	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	35
Used by	Elements	buyer, delivery_place, supplier
Source	<xsd:element name="party_name_5"> <xsd:annotation> <xsd:documentation>Business Name - 5</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element street_1

Namespace	No namespace	
Annotations	Address - Street and Number - 1	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	35
Used by	Elements	buyer, delivery_place, supplier
Source	<xsd:element name="street_1"> <xsd:annotation> <xsd:documentation>Address - Street and Number - 1</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element street_2

Namespace	No namespace	
Annotations	Address - Street and Number - 2	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	35
Used by	Elements	buyer, delivery_place, supplier
Source	<xsd:element name="street_2"> <xsd:annotation> <xsd:documentation>Address - Street and Number - 2</xsd:documentation> </xsd:annotation> </xsd:element>	

```

<xsd:simpleType>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="35"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
</xsd:element>

```

Element street_3

Namespace	No namespace	
Annotations	Address - Street and Number - 3	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	35
Used by	Elements buyer, delivery_place, supplier	
Source	<xsd:element name="street_3"> <xsd:annotation> <xsd:documentation>Address - Street and Number - 3</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element street_4

Namespace	No namespace	
Annotations	Address - Street and Number - 4	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	35
Used by	Elements buyer, delivery_place, supplier	
Source	<xsd:element name="street_4"> <xsd:annotation> <xsd:documentation>Address - Street and Number - 4</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element place

Namespace	No namespace	
Annotations	Address - City	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	35
Used by	Elements buyer, delivery_place, supplier	
Source	<xsd:element name="place"> <xsd:annotation> <xsd:documentation>Address - City</xsd:documentation> </xsd:annotation> </xsd:element>	

```

</xsd:annotation>
<xsd:simpleType>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="35"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
</xsd:element>

```

Element postcode

Namespace	No namespace	
Annotations	Address - Postcode	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	17
Used by	Elements	buyer, delivery_place, supplier
Source	<xsd:element name="postcode"> <xsd:annotation> <xsd:documentation>Address - Postcode</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="17"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element country_code

Namespace	No namespace	
Annotations	Address - Code of Country	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	6
Used by	Elements	buyer, delivery_place, supplier
Source	<xsd:element name="country_code"> <xsd:annotation> <xsd:documentation>Address - Code of Country</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="6"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element tax_id

Namespace	No namespace	
Annotations	TAX ID - optional for the Buyer, if the message is sent by Supplier from Slovak Republic	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	15
Used by	Elements	buyer, supplier
Source	<xsd:element name="tax_id"> <xsd:annotation>	

	<pre><xsd:documentation>TAX ID - optional for the Buyer, if the message is sent by Supplier from Slovak Republic</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="15"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>
--	--

Element company_id

Namespace	No namespace	
Annotations	Company ID	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	15
Used by	Elements	buyer, supplier
Source	<pre><xsd:element name="company_id"> <xsd:annotation> <xsd:documentation>Company ID</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="15"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element fiscal_id

Namespace	No namespace	
Annotations	Fiscal ID (obligatory if not assigned)	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	15
Used by	Elements	buyer, supplier
Source	<pre><xsd:element name="fiscal_id"> <xsd:annotation> <xsd:documentation>Fiscal ID (obligatory if not assigned)</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="15"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element add_id

Namespace	No namespace	
Annotations	Additional ID (internal number according buyer), used in Hungary	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	15
Used by	Elements	buyer, supplier
Source	<pre><xsd:element name="add_id"></pre>	

```

<xsd:annotation>
  <xsd:documentation>Additional ID (internal number according buyer), used in Hungary</xsd:documentation>
</xsd:annotation>
<xsd:simpleType>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="15"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
</xsd:element>

```

Element meaning_of_add_id

Namespace	No namespace		
Annotations	Reference qualifier - optionally usable tag particularly in HU		
Type	restriction of xsd:string		
Properties	content: simple		
Facets	enumeration	API	Additional party identification (older qualifier)
	enumeration	YC1	Additional party identification
Used by	Elements	buyer, supplier	
Source	<xsd:element name="meaning_of_add_id"> <xsd:annotation> <xsd:documentation>Reference qualifier - optionally usable tag particularly in HU</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="API"> <xsd:annotation> <xsd:documentation>Additional party identification (older qualifier)</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="YC1"> <xsd:annotation> <xsd:documentation>Additional party identification</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </xsd:element>		

Element delivery_place

Namespace	No namespace				
Properties	content: complex				
Used by	Element	form_header			
Model	ALL(partyQualifier{0,1} party_ean party_name_1{0,1} party_name_2{0,1} party_name_3{0,1} party_name_4{0,1} party_name_5{0,1} street_1{0,1} street_2{0,1} street_3{0,1} street_4{0,1} place{0,1} postcode{0,1} country_code{0,1} district{0,1} contact_tel{0,1})				
Children	contact_tel, country_code, district, party_ean, party_name_1, party_name_2, party_name_3, party_name_4, party_name_5, party_qualifier, place, postcode, street_1, street_2, street_3, street_4				
Instance	<delivery_place> <party_qualifier>{0,1}</party_qualifier> <party_ean>{1,1}</party_ean> <party_name_1>{0,1}</party_name_1> <party_name_2>{0,1}</party_name_2> <party_name_3>{0,1}</party_name_3> <party_name_4>{0,1}</party_name_4> <party_name_5>{0,1}</party_name_5> <street_1>{0,1}</street_1> <street_2>{0,1}</street_2> <street_3>{0,1}</street_3> <street_4>{0,1}</street_4> <place>{0,1}</place> <postcode>{0,1}</postcode> <country_code>{0,1}</country_code> <district>{0,1}</district> <contact_tel>{0,1}</contact_tel> </delivery_place>				
Source	<xsd:element name="delivery_place">				

```

<xsd:complexType>
  <xsd:all>
    <xsd:element ref="party_qualifier" minOccurs="0"/>
    <xsd:element ref="party_ean"/>
    <xsd:element ref="party_name_1" minOccurs="0"/>
    <xsd:element ref="party_name_2" minOccurs="0"/>
    <xsd:element ref="party_name_3" minOccurs="0"/>
    <xsd:element ref="party_name_4" minOccurs="0"/>
    <xsd:element ref="party_name_5" minOccurs="0"/>
    <xsd:element ref="street_1" minOccurs="0"/>
    <xsd:element ref="street_2" minOccurs="0"/>
    <xsd:element ref="street_3" minOccurs="0"/>
    <xsd:element ref="street_4" minOccurs="0"/>
    <xsd:element ref="place" minOccurs="0"/>
    <xsd:element ref="postcode" minOccurs="0"/>
    <xsd:element ref="country_code" minOccurs="0"/>
    <xsd:element ref="district" minOccurs="0"/>
    <xsd:element ref="contact_tel" minOccurs="0"/>
  </xsd:all>
</xsd:complexType>
</xsd:element>

```

Element district

Namespace	No namespace	
Annotations	Contact person (department) - phone	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	35
Used by	Element	delivery_place
Source	<xsd:element name="district"> <xsd:annotation> <xsd:documentation>Contact person (department) - phone</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element contact_tel

Namespace	No namespace	
Annotations	Contact person (department) - phone	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	35
Used by	Element	delivery_place
Source	<xsd:element name="contact_tel"> <xsd:annotation> <xsd:documentation>Contact person (department) - phone</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="35"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element purchaser

Namespace	No namespace
-----------	--------------

Properties	content:	complex
Used by	Element	form_header
Model	ALL(party_qualifier{0,1} party_ean party_name_1{0,1} party_name_2{0,1})	
Children	party_ean, party_name_1, party_name_2, party_qualifier	
Instance	<purchaser> <party_qualifier>{0,1}</party_qualifier> <party_ean>{1,1}</party_ean> <party_name_1>{0,1}</party_name_1> <party_name_2>{0,1}</party_name_2> </purchaser>	
Source	<xsd:element name="purchaser"> <xsd:complexType> <xsd:all> <xsd:element ref="party_qualifier" minOccurs="0"/> <xsd:element ref="party_ean"/> <xsd:element ref="party_name_1" minOccurs="0"/> <xsd:element ref="party_name_2" minOccurs="0"/> </xsd:all> </xsd:complexType> </xsd:element>	

Element invoicee

Namespace	No namespace
Properties	content:
Used by	Element
Model	ALL(party_qualifier{0,1} party_ean party_name_1{0,1} party_name_2{0,1})
Children	party_ean, party_name_1, party_name_2, party_qualifier
Instance	<invoicee> <party_qualifier>{0,1}</party_qualifier> <party_ean>{1,1}</party_ean> <party_name_1>{0,1}</party_name_1> <party_name_2>{0,1}</party_name_2> </invoicee>
Source	<xsd:element name="invoicee"> <xsd:complexType> <xsd:all> <xsd:element ref="party_qualifier" minOccurs="0"/> <xsd:element ref="party_ean"/> <xsd:element ref="party_name_1" minOccurs="0"/> <xsd:element ref="party_name_2" minOccurs="0"/> </xsd:all> </xsd:complexType> </xsd:element>

Element supplier

Namespace	No namespace
Properties	content:
Used by	Element
Model	ALL(party_qualifier{0,1} party_ean party_name_1{0,1} party_name_2{0,1} party_name_3{0,1} party_name_4{0,1} party_name_5{0,1} street_1{0,1} street_2{0,1} street_3{0,1} street_4{0,1} place{0,1} postcode{0,1} country_code{0,1} tax_id{0,1} company_id{0,1} fiscal_id{0,1} add_id{0,1} meaning_of_add_id{0,1})
Children	add_id, company_id, country_code, fiscal_id, meaning_of_add_id, party_ean, party_name_1, party_name_2, party_name_3, party_name_4, party_name_5, party_qualifier, place, postcode, street_1, street_2, street_3, street_4, tax_id
Instance	<supplier> <party_qualifier>{0,1}</party_qualifier> <party_ean>{1,1}</party_ean> <party_name_1>{0,1}</party_name_1> <party_name_2>{0,1}</party_name_2> <party_name_3>{0,1}</party_name_3> <party_name_4>{0,1}</party_name_4> <party_name_5>{0,1}</party_name_5> <street_1>{0,1}</street_1> <street_2>{0,1}</street_2>

	<pre> <street_3>{0,1}</street_3> <street_4>{0,1}</street_4> <place>{0,1}</place> <postcode>{0,1}</postcode> <country_code>{0,1}</country_code> <tax_id>{0,1}</tax_id> <company_id>{0,1}</company_id> <fiscal_id>{0,1}</fiscal_id> <add_id>{0,1}</add_id> <meaning_of_add_id>{0,1}</meaning_of_add_id> </supplier> </pre>
Source	<pre> <xsd:element name="supplier"> <xsd:complexType> <xsd:all> <xsd:element ref="party_qualifier" minOccurs="0"/> <xsd:element ref="party_ean"/> <xsd:element ref="party_name_1" minOccurs="0"/> <xsd:element ref="party_name_2" minOccurs="0"/> <xsd:element ref="party_name_3" minOccurs="0"/> <xsd:element ref="party_name_4" minOccurs="0"/> <xsd:element ref="party_name_5" minOccurs="0"/> <xsd:element ref="street_1" minOccurs="0"/> <xsd:element ref="street_2" minOccurs="0"/> <xsd:element ref="street_3" minOccurs="0"/> <xsd:element ref="street_4" minOccurs="0"/> <xsd:element ref="place" minOccurs="0"/> <xsd:element ref="postcode" minOccurs="0"/> <xsd:element ref="country_code" minOccurs="0"/> <xsd:element ref="tax_id" minOccurs="0"/> <xsd:element ref="company_id" minOccurs="0"/> <xsd:element ref="fiscal_id" minOccurs="0"/> <xsd:element ref="add_id" minOccurs="0"/> <xsd:element ref="meaning_of_add_id" minOccurs="0"/> </xsd:all> </xsd:complexType> </xsd:element> </pre>

Element storehouse

Namespace	No namespace
Properties	content: complex
Used by	Element form_header
Model	ALL(party_qualifier{0,1} party_ean party_name_1{0,1} party_name_2{0,1})
Children	party_ean, party_name_1, party_name_2, party_qualifier
Instance	<pre> <storehouse> <party_qualifier>{0,1}</party_qualifier> <party_ean>{1,1}</party_ean> <party_name_1>{0,1}</party_name_1> <party_name_2>{0,1}</party_name_2> </storehouse> </pre>
Source	<pre> <xsd:element name="storehouse"> <xsd:complexType> <xsd:all> <xsd:element ref="party_qualifier" minOccurs="0"/> <xsd:element ref="party_ean"/> <xsd:element ref="party_name_1" minOccurs="0"/> <xsd:element ref="party_name_2" minOccurs="0"/> </xsd:all> </xsd:complexType> </xsd:element> </pre>

Element line_items

Namespace	No namespace
Properties	content: complex
Used by	Element xml_document
Model	item+
Children	item
Instance	<pre> <line_items> <item>{1,unbounded}</item> </line_items> </pre>

Source	<pre><xsd:element name="line_items"> <xsd:complexType> <xsd:sequence> <xsd:element ref="item" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType> </xsd:element></pre>
--------	---

Element item

Namespace	No namespace
Properties	content: complex
Used by	Element line_items
Model	ALL(item_number article_ean article_number{0,1} article_number_code{0,1} article_number_buyer{0,1} article_number_buyer_code{0,1} product_group_buyer{0,1} product_group_buyer_code{0,1} specification{0,1} specification_code{0,1} item_type{0,1} quantity_type{0,1} quantity unit{0,1} number_of_units{0,1} number_of_packages{0,1} type_of_packages{0,1} delivery_date_function{0,1} delivery_date{0,1} delivery_time{0,1} delivery_date_format{0,1} net_price{0,1} net_price_specification_code{0,1} gross_price{0,1} total_price{0,1} info_price{0,1} contract_reference_number{0,1} delivery_place_ean{0,1} free_text_1{0,1} free_text_2{0,1} free_text_3{0,1} free_text_4{0,1} free_text_5{0,1} customer_reference_number{0,1} best_before_date{0,1})
Children	article_ean, article_number, article_number_buyer, article_number_buyer_code, article_number_code, best_before_date, contract_reference_number, customer_reference_number, delivery_date, delivery_date_format, delivery_date_function, delivery_place_ean, delivery_time, free_text_1, free_text_2, free_text_3, free_text_4, free_text_5, gross_price, info_price, item_number, item_type, net_price, net_price_specification_code, number_of_packages, number_of_units, product_group_buyer, product_group_buyer_code, quantity, quantity_type, specification, specification_code, total_price, type_of_packages, unit
Instance	<pre><item> <item_number>{1,1}</item_number> <article_ean>{1,1}</article_ean> <article_number>{0,1}</article_number> <article_number_code>{0,1}</article_number_code> <article_number_buyer>{0,1}</article_number_buyer> <article_number_buyer_code>{0,1}</article_number_buyer_code> <product_group_buyer>{0,1}</product_group_buyer> <product_group_buyer_code>{0,1}</product_group_buyer_code> <specification>{0,1}</specification> <specification_code>{0,1}</specification_code> <item_type>{0,1}</item_type> <quantity_type>{0,1}</quantity_type> <quantity>{1,1}</quantity> <unit>{0,1}</unit> <number_of_units>{0,1}</number_of_units> <number_of_packages>{0,1}</number_of_packages> <type_of_packages>{0,1}</type_of_packages> <delivery_date_function>{0,1}</delivery_date_function> <delivery_date>{0,1}</delivery_date> <delivery_time>{0,1}</delivery_time> <delivery_date_format>{0,1}</delivery_date_format> <net_price>{0,1}</net_price> <net_price_specification_code>{0,1}</net_price_specification_code> <gross_price>{0,1}</gross_price> <total_price>{0,1}</total_price> <info_price>{0,1}</info_price> <contract_reference_number>{0,1}</contract_reference_number> <delivery_place_ean>{0,1}</delivery_place_ean> <free_text_1>{0,1}</free_text_1> <free_text_2>{0,1}</free_text_2> <free_text_3>{0,1}</free_text_3> <free_text_4>{0,1}</free_text_4> <free_text_5>{0,1}</free_text_5> <customer_reference_number>{0,1}</customer_reference_number> <best_before_date>{0,1}</best_before_date> </item></pre>
Source	<pre><xsd:element name="item"> <xsd:complexType> <xsd:all> <xsd:element ref="item_number"/> <xsd:element ref="article_ean"/> <xsd:element ref="article_number" minOccurs="0"/> <xsd:element ref="article_number_code" minOccurs="0"/> <xsd:element ref="article_number_buyer" minOccurs="0"/> <xsd:element ref="article_number_buyer_code" minOccurs="0"/> <xsd:element ref="product_group_buyer" minOccurs="0"/> <xsd:element ref="product_group_buyer_code" minOccurs="0"/> <xsd:element ref="specification" minOccurs="0"/></pre>

```

<xsd:element ref="specification_code" minOccurs="0"/>
<xsd:element ref="item_type" minOccurs="0"/>
<xsd:element ref="quantity_type" minOccurs="0"/>
<xsd:element ref="quantity"/>
<xsd:element ref="unit" minOccurs="0"/>
<xsd:element ref="number_of_units" minOccurs="0"/>
<xsd:element ref="number_of_packages" minOccurs="0"/>
<xsd:element ref="type_of_packages" minOccurs="0"/>
<xsd:element ref="delivery_date_function" minOccurs="0"/>
<xsd:element ref="delivery_date" minOccurs="0"/>
<xsd:element ref="delivery_time" minOccurs="0"/>
<xsd:element ref="delivery_date_format" minOccurs="0"/>
<xsd:element ref="net_price" minOccurs="0"/>
<xsd:element ref="net_price_specification_code" minOccurs="0"/>
<xsd:element ref="gross_price" minOccurs="0"/>
<xsd:element ref="total_price" minOccurs="0"/>
<xsd:element ref="info_price" minOccurs="0"/>
<xsd:element ref="contract_reference_number" minOccurs="0"/>
<xsd:element ref="delivery_place_ean" minOccurs="0"/>
<xsd:element ref="free_text_1" minOccurs="0"/>
<xsd:element ref="free_text_2" minOccurs="0"/>
<xsd:element ref="free_text_3" minOccurs="0"/>
<xsd:element ref="free_text_4" minOccurs="0"/>
<xsd:element ref="free_text_5" minOccurs="0"/>
<xsd:element ref="customer_reference_number" minOccurs="0"/>
<xsd:element ref="best_before_date" minOccurs="0"/>
</xsd:all>
</xsd:complexType>
</xsd:element>

```

Element item_number

Namespace	No namespace	
Annotations	Item Number	
Type	restriction of xsd:positiveInteger	
Properties	content: simple	
Facets	totalDigits	6
Used by	Element	item
Source	<xsd:element name="item_number"> <xsd:annotation> <xsd:documentation>Item Number</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:positiveInteger"> <xsd:totalDigits value="6"/> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element article_ean

Namespace	No namespace	
Annotations	GTIN (Article EAN)	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	17
Used by	Element	item
Source	<xsd:element name="article_ean"> <xsd:annotation> <xsd:documentation>GTIN (Article EAN)</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="17"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element article_number

Namespace	No namespace	
Annotations	Article Number According to Supplier	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength 1 maxLength 25	
Used by	Element	item
Source	<pre><xsd:element name="article_number"> <xsd:annotation> <xsd:documentation>Article Number According to Supplier</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="25"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element article_number_code

Namespace	No namespace	
Annotations	Item type identification code for supplier's article number - optionally usable tag particularly in HU	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	enumeration SA Supplier's article number enumeration ZZZ Mutually agreed qualifier used for supplier's article number	
Used by	Element	item
Source	<pre><xsd:element name="article_number_code"> <xsd:annotation> <xsd:documentation>Item type identification code for supplier's article number - optionally usable tag particularly in HU</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="SA"> <xsd:annotation> <xsd:documentation>Supplier's article number</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="ZZZ"> <xsd:annotation> <xsd:documentation>Mutually agreed qualifier used for supplier's article number</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element article_number_buyer

Namespace	No namespace	
Annotations	Article Number According to Buyer	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength 1 maxLength 25	
Used by	Element	item
Source	<pre><xsd:element name="article_number_buyer"> <xsd:annotation></pre>	

```

<xsd:documentation>Article Number According to Buyer</xsd:documentation>
</xsd:annotation>
<xsd:simpleType>
  <xsd:restriction base="xsd:string">
    <xsd:maxLength value="25"/>
    <xsd:minLength value="1"/>
  </xsd:restriction>
</xsd:simpleType>
</xsd:element>

```

Element article_number_buyer_code

Namespace	No namespace	
Annotations	Item type identification code for buyer's article number - optionally usable tag particularly in HU	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	enumeration	IN Buyer's item number
	enumeration	BP Buyer's part number (older qualifier)
Used by	Element	item
Source	<xsd:element name="article_number_buyer_code"> <xsd:annotation> <xsd:documentation>Item type identification code for buyer's article number - optionally usable tag particularly in HU</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="IN"> <xsd:annotation> <xsd:documentation>Buyer's item number</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="BP"> <xsd:annotation> <xsd:documentation>Buyer's part number (older qualifier)</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element product_group_buyer

Namespace	No namespace	
Annotations	Buyer's internal product group code - optionally usable tag particularly in HU	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	25
Used by	Element	item
Source	<xsd:element name="product_group_buyer"> <xsd:annotation> <xsd:documentation>Buyer's internal product group code - optionally usable tag particularly in HU</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="25"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element product_group_buyer_code

Namespace	No namespace	
Annotations	Item type identification code for buyer's internal product group code - optionally usable tag particularly in HU	
Type	restriction of xsd:string	

Properties	content:	simple	
Facets	enumeration	GB	Buyer's item number
Used by	Element	item	
Source	<pre><xsd:element name="product_group_buyer_code"> <xsd:annotation> <xsd:documentation>Item type identification code for buyer's internal product group code - optionally usable tag particularly in HU</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="GB"> <xsd:annotation> <xsd:documentation>Buyer's item number</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>		

Element specification

Namespace	No namespace		
Annotations	Specification - free text (Item Specification)		
Type	restriction of xsd:string		
Properties	content:	simple	
Facets	minLength	1	
	maxLength	70	
Used by	Element	item	
Source	<pre><xsd:element name="specification"> <xsd:annotation> <xsd:documentation>Specification - free text (Item Specification)</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="70"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>		

Element specification_code

Namespace	No namespace		
Annotations	Description format code - optionally usable tag particularly in HU		
Type	restriction of xsd:string		
Properties	content:	simple	
Facets	enumeration	A	Free-form long description
	enumeration	C	Code (from industry code list)
	enumeration	E	Free-form short description
	enumeration	F	Free-form
	enumeration	S	Structured (from industry code list)
	enumeration	B	Code and text
Used by	Element	item	
Source	<pre><xsd:element name="specification_code"> <xsd:annotation> <xsd:documentation>Description format code - optionally usable tag particularly in HU</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="A"> <xsd:annotation> <xsd:documentation>Free-form long description</xsd:documentation></pre>		

```

        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="C">
        <xsd:annotation>
            <xsd:documentation>Code (from industry code list)</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="E">
        <xsd:annotation>
            <xsd:documentation>Free-form short description</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="F">
        <xsd:annotation>
            <xsd:documentation>Free-form</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="S">
        <xsd:annotation>
            <xsd:documentation>Structured (from industry code list)</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
    <xsd:enumeration value="B">
        <xsd:annotation>
            <xsd:documentation>Code and text</xsd:documentation>
        </xsd:annotation>
    </xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>
</xsd:element>

```

Element item_type

Namespace	No namespace		
Annotations	Item Type		
Type	restriction of xsd:string		
Properties	content: simple		
Facets	enumeration	TU	Trade Unit
	enumeration	CU	Consumer Unit
Used by	Element	item	
Source	<xsd:element name="item_type"> <xsd:annotation> <xsd:documentation>Item Type</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="TU"> <xsd:annotation> <xsd:documentation>Trade Unit</xsd:documentation> </xsd:annotation> </xsd:enumeration> <xsd:enumeration value="CU"> <xsd:annotation> <xsd:documentation>Consumer Unit</xsd:documentation> </xsd:annotation> </xsd:enumeration> </xsd:restriction> </xsd:simpleType> </xsd:element>		

Element quantity_type

Namespace	No namespace		
Annotations	Quantity - qualifier		
Type	restriction of xsd:string		
Properties	content: simple		
Facets	enumeration	21	Ordered Quantity
Used by	Element	item	
Source	<xsd:element name="quantity_type">		

```

<xsd:annotation>
  <xsd:documentation>Quantity - qualifier</xsd:documentation>
</xsd:annotation>
<xsd:simpleType>
  <xsd:restriction base="xsd:string">
    <xsd:enumeration value="21">
      <xsd:annotation>
        <xsd:documentation>Ordered Quantity</xsd:documentation>
      </xsd:annotation>
    </xsd:enumeration>
  </xsd:restriction>
</xsd:simpleType>
</xsd:element>

```

Element quantity

Namespace	No namespace	
Annotations	Quantity	
Type	restriction of xsd:decimal	
Properties	content: simple	
Facets	totalDigits	12
	fractionDigits	3
	pattern	(.?)\{12\}
Used by	Element	item
Source	<xsd:element name="quantity"> <xsd:annotation> <xsd:documentation>Quantity</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:decimal"> <xsd:annotation> <xsd:documentation>Digits Number: 12 - including 3 decimal numbers and delimiter (dot)</xsd:documentation> </xsd:annotation> <xsd:totalDigits value="12"/> <xsd:fractionDigits value="3"/> <xsd:pattern value="(.)\{12\}"/> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element unit

Namespace	No namespace	
Annotations	Quantity - Measure unit qualifier	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	3
Used by	Element	item
Source	<xsd:element name="unit"> <xsd:annotation> <xsd:documentation>Quantity - Measure unit qualifier</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="3"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element number_of_units

Namespace	No namespace	
Annotations	Number of Consumer Units (in the Traded Unit)	
Type	restriction of xsd:decimal	

Properties	content:	simple
Facets	totalDigits	12
	fractionDigits	3
	pattern	(.?)\{12\}
Used by	Element	item
Source	<pre><xsd:element name="number_of_units"> <xsd:annotation> <xsd:documentation>Number of Consumer Units (in the Traded Unit)</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:decimal"> <xsd:annotation> <xsd:documentation>Digits Number: 12 - including 3 decimal numbers and delimiter (dot)</xsd:documentation> </xsd:annotation> <xsd:totalDigits value="12"/> <xsd:fractionDigits value="3"/> <xsd:pattern value="(.?)\{12\}"> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element number_of_packages

Namespace	No namespace	
Annotations	Number of Packages	
Type	restriction of xsd:decimal	
Properties	content:	simple
Facets	totalDigits	8
	fractionDigits	3
	pattern	(.?)\{8\}
Used by	Element	item
Source	<pre><xsd:element name="number_of_packages"> <xsd:annotation> <xsd:documentation>Number of Packages</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:decimal"> <xsd:annotation> <xsd:documentation>Digits Number: 8 - including 3 decimal numbers and delimiter (dot)</xsd:documentation> </xsd:annotation> <xsd:totalDigits value="8"/> <xsd:fractionDigits value="3"/> <xsd:pattern value="(.?)\{8\}"> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element type_of_packages

Namespace	No namespace	
Annotations	Type of Packages	
Type	restriction of xsd:string	
Properties	content:	simple
Facets	minLength	1
	maxLength	17
Used by	Element	item
Source	<pre><xsd:element name="type_of_packages"> <xsd:annotation> <xsd:documentation>Type of Packages</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="17"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

```
<xsd:minLength value="1"/>
</xsd:restriction>
</xsd:simpleType>
</xsd:element>
```

Element net_price

Namespace	No namespace	
Annotations	Price after Discount/Surcharge Without VAT (netto)	
Type	restriction of xsd:decimal	
Properties	content: simple	
Facets	totalDigits	12
	fractionDigits	4
	pattern	(.?)\{12\}
Used by	Element	item
Source	<xsd:element name="net_price"> <xsd:annotation> <xsd:documentation>Price after Discount/Surcharge Without VAT (netto)</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:decimal"> <xsd:annotation> <xsd:documentation>Digits Number: 12 - including 4 decimal numbers and delimiter (dot)</xsd:documentation> </xsd:annotation> <xsd:totalDigits value="12"/> <xsd:fractionDigits value="4"/> <xsd:pattern value="(.)\{12\}"> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element net_price_specification_code

Namespace	No namespace	
Annotations	Price specification code - optionally usable tag particularly in HU	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	3
Used by	Element	item
Source	<xsd:element name="net_price_specification_code"> <xsd:annotation> <xsd:documentation>Price specification code - optionally usable tag particularly in HU</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="3"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element>	

Element gross_price

Namespace	No namespace	
Annotations	Gross Price before Discount/Surcharge Without VAT (brutto)	
Type	restriction of xsd:decimal	
Properties	content: simple	
Facets	totalDigits	12
	fractionDigits	4
	pattern	(.?)\{12\}

Used by	Element item
Source	<pre><xsd:element name="gross_price"> <xsd:annotation> <xsd:documentation>Gross Price before Discount/Surcharge Without VAT (brutto)</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:decimal"> <xsd:annotation> <xsd:documentation>Digits Number: 12 - including 4 decimal numbers and delimiter (dot)</xsd:documentation> </xsd:annotation> <xsd:totalDigits value="12"/> <xsd:fractionDigits value="4"/> <xsd:pattern value="(.){12}"> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>

Element total_price

Namespace	No namespace							
Annotations	Total Price on the Item							
Type	restriction of xsd:decimal							
Properties	content: simple							
Facets	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px;">totalDigits</td> <td style="padding: 2px;">12</td> </tr> <tr> <td style="padding: 2px;">fractionDigits</td> <td style="padding: 2px;">4</td> </tr> <tr> <td style="padding: 2px;">pattern</td> <td style="padding: 2px;">(.){12}</td> </tr> </table>		totalDigits	12	fractionDigits	4	pattern	(.){12}
totalDigits	12							
fractionDigits	4							
pattern	(.){12}							
Used by	Element item							
Source	<pre><xsd:element name="total_price"> <xsd:annotation> <xsd:documentation>Total Price on the Item</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:decimal"> <xsd:annotation> <xsd:documentation>Digits Number: 12 - including 4 decimal numbers and delimiter (dot)</xsd:documentation> </xsd:annotation> <xsd:totalDigits value="12"/> <xsd:fractionDigits value="4"/> <xsd:pattern value="(.){12}"> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>							

Element info_price

Namespace	No namespace							
Annotations	Information purchase price per unit							
Type	restriction of xsd:decimal							
Properties	content: simple							
Facets	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px;">totalDigits</td> <td style="padding: 2px;">12</td> </tr> <tr> <td style="padding: 2px;">fractionDigits</td> <td style="padding: 2px;">4</td> </tr> <tr> <td style="padding: 2px;">pattern</td> <td style="padding: 2px;">(.){12}</td> </tr> </table>		totalDigits	12	fractionDigits	4	pattern	(.){12}
totalDigits	12							
fractionDigits	4							
pattern	(.){12}							
Used by	Element item							
Source	<pre><xsd:element name="info_price"> <xsd:annotation> <xsd:documentation>Information purchase price per unit</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:decimal"> <xsd:annotation> <xsd:documentation>Digits Number: 12 - including 4 decimal numbers and delimiter (dot)</xsd:documentation> </xsd:annotation> <xsd:totalDigits value="12"/> <xsd:fractionDigits value="4"/> <xsd:pattern value="(.){12}"> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>							

```
</xsd:simpleType>
</xsd:element>
```

Element contract_reference_number

Namespace	No namespace	
Annotations	Contract Reference Number	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	15
Used by	Element	item
Source	<pre><xsd:element name="contract_reference_number"> <xsd:annotation> <xsd:documentation>Contract Reference Number</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="15"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element delivery_place_ean

Namespace	No namespace	
Annotations	Delivery Place GLN	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	17
Used by	Element	item
Source	<pre><xsd:element name="delivery_place_ean"> <xsd:annotation> <xsd:documentation>Delivery Place GLN</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="17"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element free_text_5

Namespace	No namespace	
Annotations	Additional free text 5	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	70
Used by	Element	item
Source	<pre><xsd:element name="free_text_5"> <xsd:annotation> <xsd:documentation>Additional free text 5</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="70"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

	<pre></xsd:restriction> </xsd:simpleType> </xsd:element></pre>
--	--

Element customer_reference_number

Namespace	No namespace	
Annotations	Customer Reference Number	
Type	restriction of xsd:string	
Properties	content: simple	
Facets	minLength	1
	maxLength	15
Used by	Element	item
Source	<pre><xsd:element name="customer_reference_number"> <xsd:annotation> <xsd:documentation>Customer Reference Number</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:maxLength value="15"/> <xsd:minLength value="1"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>	

Element best_before_date

Namespace	No namespace	
Annotations	Expiry date	
Type	xsd:date	
Properties	content: simple	
Used by	Element	item
Source	<pre><xsd:element name="best_before_date" type="xsd:date"> <xsd:annotation> <xsd:documentation>Expiry date</xsd:documentation> </xsd:annotation> </xsd:element></pre>	

Element summary

Namespace	No namespace	
Properties	content: complex	
Used by	Element	xml_document
Model	ALL(monetary_amounts)	
Children	monetary_amounts	
Instance	<pre><summary> <monetary_amounts>{1,1}</monetary_amounts> </summary></pre>	
Source	<pre><xsd:element name="summary"> <xsd:complexType> <xsd:all> <xsd:element ref="monetary_amounts"/> </xsd:all> </xsd:complexType> </xsd:element></pre>	

Element monetary_amounts

Namespace	No namespace	
Properties	content: complex	
Used by	Element	summary

Model	ALL(items_price{0,1})
Children	items_price
Instance	<monetary_amounts> <items_price>{0,1}</items_price> </monetary_amounts>
Source	<pre><xsd:element name="monetary_amounts"> <xsd:complexType> <xsd:all> <xsd:element ref="items_price" minOccurs="0"/> </xsd:all> </xsd:complexType> </xsd:element></pre>

Element items_price

Namespace	No namespace							
Annotations	Total Line Items Price							
Type	restriction of xsd:decimal							
Properties	content: simple							
Facets	<table> <tr> <td>totalDigits</td> <td>12</td> </tr> <tr> <td>fractionDigits</td> <td>2</td> </tr> <tr> <td>pattern</td> <td>(.?)\{12\}</td> </tr> </table>		totalDigits	12	fractionDigits	2	pattern	(.?)\{12\}
totalDigits	12							
fractionDigits	2							
pattern	(.?)\{12\}							
Used by	Element	monetary_amounts						
Source	<pre><xsd:element name="items_price"> <xsd:annotation> <xsd:documentation>Total Line Items Price</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:decimal"> <xsd:annotation> <xsd:documentation>Digits Number: 12 - including 2 decimal numbers and delimiter (dot)</xsd:documentation> </xsd:annotation> <xsd:totalDigits value="12"/> <xsd:fractionDigits value="2"/> <xsd:pattern value="(.)\{12\}"/> </xsd:restriction> </xsd:simpleType> </xsd:element></pre>							

Simple Type(s)

Simple Type short_time

Namespace	No namespace	
Type	restriction of xsd:string	
Facets	pattern (([0-1][0-9]) (2[0-3])):[0-5][0-9]	
Used by	Elements	delivery_time, document_time
Source	<pre><xsd:simpleType name="short_time"> <xsd:restriction base="xsd:string"> <xsd:pattern value="(([0-1][0-9]) (2[0-3])):[0-5][0-9]"/> </xsd:restriction> </xsd:simpleType></pre>	

Simple Type time

Namespace	No namespace	
Type	restriction of xsd:string	
Facets	pattern (([0-1][0-9]) (2[0-3])):[0-5][0-9](:[0-5][0-9])?	
Source	<pre><xsd:simpleType name="time"> <xsd:restriction base="xsd:string"> <xsd:pattern value="(([0-1][0-9]) (2[0-3])):[0-5][0-9](:[0-5][0-9])?"/> </xsd:restriction> </xsd:simpleType></pre>	

Attribute(s)

Attribute xml_document / @type_identifier

Namespace	No namespace
Properties	use: required
Used by	Element xml_document
Source	<xsd:attribute name="type_identifier" use="required"/>

Attribute xml_document / @version_number

Namespace	No namespace
Used by	Element xml_document
Source	<xsd:attribute name="version_number"/>

Attribute xml_document / @subversion_number

Namespace	No namespace
Used by	Element xml_document
Source	<xsd:attribute name="subversion_number"/>

Attribute @type_identifier

Namespace	No namespace
Annotations	Document Type
Type	restriction of xsd:string
Properties	content: simple
Facets	length 6
Source	<xsd:attribute name="type_identifier"> <xsd:annotation> <xsd:documentation>Document Type</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:length value="6"/> </xsd:restriction> </xsd:simpleType> </xsd:attribute>

Attribute @version_number

Namespace	No namespace
Type	restriction of xsd:string
Properties	content: simple
Facets	minLength 1 maxLength 35
Source	<xsd:attribute name="version_number"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="35"/> </xsd:restriction> </xsd:simpleType> </xsd:attribute>

Attribute @subversion_number

Namespace	No namespace
Type	restriction of xsd:string

Properties	content:	simple
Facets	minLength	1
	maxLength	35
Source	<xsd:attribute name="subversion_number"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:minLength value="1"/> <xsd:maxLength value="35"/> </xsd:restriction> </xsd:simpleType> </xsd:attribute>	